Contents to volume 263

Review Hypotheses

A common mechanism of transcriptional activation by the three positive regulators, VirG, PhoB, and OmpR (FEBS 08260) *T. Aoyama, A. Oka* 1

'Quantal' Ca^{2+} release and the control of Ca^{2+} entry by inositol phosphates – a possible mechanism (FEBS 08291) *R.F. Irvine* 5

Research Letters

Receptor-active glycolipids of epithelial cells of the small intestine of young and adult pigs in relation to susceptibility to infection with *Escherichia coli* K99 (FEBS 08251) *S. Teneberg, P. Willemsen, F.K. de Graaf, K.-A. Karlsson* 10

A small G-protein involved in phosphatidylinositol-4-phosphate kinase activation (FEBS 08278) *T. Urumow, O.H. Wieland* 15

Two forms of the rat D_2 dopamine receptor as revealed by the polymerase chain reaction (FEBS 08284) *D.D. Rao, J. McKelvy, J. Kebabian, R.G. MacKenzie* 18

Factor Xa cleavage of fusion proteins: Elimination of non-specific cleavage by reversible acylation (FEBS 08288) *S.J. Wearne* 23

Peptidyl-prolyl *cis-trans* isomerase does not affect the Pro-43 *cis-trans* isomerization rate in folded calbindin D_{9k} (FEBS 08289) *J. Kördel, T. Drakenberg, S. Forsén, E. Thulin* 27

Protein kinase C during differentiation of human promyelocytic leukemia cell line, HL-60 (FEBS 08290) *K. Hashimoto, A. Kishimoto, H. Aihara, I. Yasuda, K. Mikawa, Y. Nishizuka* 31

Modulation of interleukin-1β production by cyclic AMP in human monocytes (FEBS 08292) *M. Hurme* 35

The in vivo and in vitro oxidation of molecular form **1** of biliverdin reductase to molecular form **3** by diamide (FEBS 08295) *M.L. Tomaro, J. Frydman, R.B. Frydman* 38

C-terminal amino acid determination of the transmembrane subunits of the human platelet fibrinogen receptor, the GPIIb/IIIa complex (FEBS 08293) *J.J. Calvete, W. Schäfer, A. Henschen, J. Gonzalez-Rodriguez* 43

Inhibition of cGMP-dependent protein kinase by (Rp)-guanosine 3',5'-monophosphorothioates (FEBS 08294) *E. Butt, M. van Bemmelen, L. Fischer, U. Walter, B. Jastorff* 47

An early immunoreactive folding intermediate of the tryptophan synthase β_2 subunit is a 'molten globule' (FEBS 08296) *M.E. Goldberg, G.V. Semisotnov, B. Friguet, K. Kuwajima, O.B. Ptitsyn, S. Sugai* 51

ATP synthesis coupled to electron transfer from H_2 to the heterodisulfide of 2-mercaptoethanesulfonate and 7-mercaptoheptanoylthreonine phosphate in vesicle preparations of the methanogenic bacterium strain Gö1 (FEBS 08309) *S. Peinemann, R. Hedderich, M. Blaut, R.K. Thauer, G. Gottschalk* 57

Tetanus toxin-induced protein kinase C activation and elevated serotonin levels in the perinatal rat brain (FEBS 08297) *J. Aguilera, L.A. Lopez, E. Yavin* 61

Structural kinetics of the allosteric transition of aspartate transcarbamylase produced by physiological substrates (FEBS 08310) *H. Tsuruta, T. Sano, P. Vachette, P. Tauc, M.F. Moody, K. Wakabayashi, Y. Amemiya, K. Kimura, H. Kihara* 66

Transcription and replication silencer element is present within conserved region of human Alu repeats interacting with nuclear protein (FEBS 08311) *N.V. Tomilin, S.M.M. Iguchi-Ariga, H. Ariga* 69

Reversible inhibition of electron transfer in the ubiquinol: Cytochrome *c* reductase segment of the mitochondrial respiratory chain in hibernating ground squirrels (FEBS 08312) *N.N. Brustovetsky, Z.G. Amerkhanov, E. Yu. Popova, A.A. Konstantinov* 73

Purification and study of a bacterial glutathione S-transferase (FEBS 08277) *P. Arca, P. García, C. Hardisson, J.E. Suárez* 77

Solubilization of the bombesin receptor from Swiss 3T3 cell membranes: Functional association to a guanine nucleotide regulatory protein (FEBS 08298) *A. Coffer, I. Fabregat, J. Sinnett-Smith, E. Rozengurt* 80

The primary structure of rat ribosomal protein S16 (FEBS 08299) *Y.-L. Chan, V. Paz, J. Olvera, I.G. Wool* 85

Stereochemical course of hydrolysis and hydration reactions catalysed by cellobiohydrolases I and II from *Trichoderma reesei* (FEBS 08300) *M. Claeyssens, P. Tomme, C.F. Brewer, E.J. Hehre* 89

Isolation and RNA sequence analysis of cytochrome *b* mutants resistant to funiculosin, a center i inhibitor of the mitochondrial ubiquinol-cytochrome *c* reductase in *Saccharomyces cerevisiae* (FEBS 08307) *J. -P. di Rago, J. Perea, A. -M. Colson* 93

Regulation of photosynthetic light harvesting by nitrogen assimilation in the green alga *Selenastrum minutum* (FEBS 08308) *D.H. Turpin, D. Bruce* 99

Erbstatin blocks platelet activating factor-induced protein-tyrosine phosphorylation, polyphosphoinositide hydrolysis, protein kinase C activation, serotonin secretion and aggregation of rabbit platelets (FEBS 08318) *H. Salari, V. Duronio, S.L. Howard, M. Demos, K. Jones, A. Reany, A.T. Hudson, S.L. Pelech* 104

Interleukin 1β modulates hepatic synthesis of α1-acid glycoprotein in the fetal rat (FEBS 08301) *D. Durand, O. Bertaux, T. Fournier, D. Porquet, R. Valencia, G. Durand* 109

DNA methylation in *Trypanosoma cruzi* (FEBS 08303) *M.V. Rojas, N. Galanti* 113

Protein kinase C-regulated production of prostacyclin by rat endothelium is increased in the presence of lipoxin A4 (FEBS 08304) *D. Leszczynski, J. Ustinov* 117

Expression of voltage-gated K^+ channels in insulin-producing cells: Analysis by polymerase chain reaction (FEBS 08305) *C. Betsholtz, A. Baumann, S. Kenna, F.M. Ashcroft, S.J.H. Ashcroft, P.-O. Berggren, A. Grupe, O. Pongs, P. Rorsman, J. Sandblom, M. Welsh* 121

Assignment of imidazole resonances from two-dimensional proton NMR spectra of bovine Cu,Zn superoxide dismutase: Evidence for similar active site conformation in the oxidized and reduced enzyme (FEBS 08317) *M. Paci, A. Desideri, M. Sette, M.R. Ciriolo, G. Rotilio* 127

Identification of genetically high risk individuals to lung cancer by DNA polymorphisms of the cytochrome P450IA1 gene (FEBS 08306) *K. Kawajiri, K. Nakachi, K. Imai, A. Yoshii, N. Shinoda, J. Watanabe* 131

The importance of Val-157 hydrophobic interaction for papain inhibitory activity of an epoxysuccinyl amino acid derivative: A structure–activity relationship based on the crystal structure of the papain–E-64-c complex (FEBS 08210) *D. Yamamoto, K. Matsumoto, H. Ohishi, T. Ishida, M. Inoue, K. Kitamura, K. Hanada* 134

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Contents to volume 263

Review Hypotheses

A common mechanism of transcriptional activation by the three positive regulators, VirG, PhoB, and OmpR (FEBS 08260) *T. Aoyama, A. Oka* 1

'Quantal' Ca^{2+} release and the control of Ca^{2+} entry by inositol phosphates – a possible mechanism (FEBS 08291) *R.F. Irvine* 5

Research Letters

Receptor-active glycolipids of epithelial cells of the small intestine of young and adult pigs in relation to susceptibility to infection with *Escherichia coli* K99 (FEBS 08251) *S. Teneberg, P. Willemsen, F.K. de Graaf, K.-A. Karlsson* 10

A small G-protein involved in phosphatidylinositol-4-phosphate kinase activation (FEBS 08278) *T. Urumow, O.H. Wieland* 15

Two forms of the rat D_2 dopamine receptor as revealed by the polymerase chain reaction (FEBS 08284) *D.D. Rao, J. McKelvy, J. Kebabian, R.G. MacKenzie* 18

Factor Xa cleavage of fusion proteins: Elimination of non-specific cleavage by reversible acylation (FEBS 08288) *S.J. Wearne* 23

Peptidyl-prolyl *cis-trans* isomerase does not affect the Pro-43 *cis-trans* isomerization rate in folded calbindin D_{9k} (FEBS 08289) *J. Kördel, T. Drakenberg, S. Forsén, E. Thulin* 27

Protein kinase C during differentiation of human promyelocytic leukemia cell line, HL-60 (FEBS 08290) *K. Hashimoto, A. Kishimoto, H. Aihara, I. Yasuda, K. Mikawa, Y. Nishizuka* 31

Modulation of interleukin-1β production by cyclic AMP in human monocytes (FEBS 08292) *M. Hurme* 35

The in vivo and in vitro oxidation of molecular form **1** of biliverdin reductase to molecular form **3** by diamide (FEBS 08295) *M.L. Tomaro, J. Frydman, R.B. Frydman* 38

C-terminal amino acid determination of the transmembrane subunits of the human platelet fibrinogen receptor, the GPIIb/IIIa complex (FEBS 08293) *J.J. Calvete, W. Schäfer, A. Henschen, J. Gonzalez-Rodriguez* 43

Inhibition of cGMP-dependent protein kinase by (Rp)-guanosine 3',5'-monophosphorothioates (FEBS 08294) *E. Butt, M. van Bemmelen, L. Fischer, U. Walter, B. Jastorff* 47

An early immunoreactive folding intermediate of the tryptophan synthase β_2 subunit is a 'molten globule' (FEBS 08296) *M.E. Goldberg, G.V. Semisotnov, B. Friguet, K. Kuwajima, O.B. Ptitsyn, S. Sugai* 51

ATP synthesis coupled to electron transfer from H_2 to the heterodisulfide of 2-mercaptoethanesulfonate and 7-mercaptoheptanoylthreonine phosphate in vesicle preparations of the methanogenic bacterium strain Gö1 (FEBS 08309) *S. Peinemann, R. Hedderich, M. Blaut, R.K. Thauer, G. Gottschalk* 57

Tetanus toxin-induced protein kinase C activation and elevated serotonin levels in the perinatal rat brain (FEBS 08297) *J. Aguilera, L.A. Lopez, E. Yavin* 61

Structural kinetics of the allosteric transition of aspartate transcarbamylase produced by physiological substrates (FEBS 08310) *H. Tsuruta, T. Sano, P. Vachette, P. Tauc, M.F. Moody, K. Wakabayashi, Y. Amemiya, K. Kimura, H. Kihara* 66

Transcription and replication silencer element is present within conserved region of human Alu repeats interacting with nuclear protein (FEBS 08311) *N.V. Tomilin, S.M.M. Iguchi-Ariga, H. Ariga* 69

Reversible inhibition of electron transfer in the ubiquinol: Cytochrome *c* reductase segment of the mitochondrial respiratory chain in hibernating ground squirrels (FEBS 08312) *N.N. Brustovetsky, Z.G. Amerkhanov, E. Yu. Popova, A.A. Konstantinov* 73

Purification and study of a bacterial glutathione S-transferase (FEBS 08277) *P. Arca, P. García, C. Hardisson, J.E. Suárez* 77

Solubilization of the bombesin receptor from Swiss 3T3 cell membranes: Functional association to a guanine nucleotide regulatory protein (FEBS 08298) *A. Coffer, I. Fabregat, J. Sinnett-Smith, E. Rozengurt* 80

The primary structure of rat ribosomal protein S16 (FEBS 08299) *Y.-L. Chan, V. Paz, J. Olvera, I.G. Wool* 85

Stereochemical course of hydrolysis and hydration reactions catalysed by cellobiohydrolases I and II from *Trichoderma reesei* (FEBS 08300) *M. Claeyssens, P. Tomme, C.F. Brewer, E.J. Hehre* 89

Isolation and RNA sequence analysis of cytochrome *b* mutants resistant to funiculosin, a center i inhibitor of the mitochondrial ubiquinol-cytochrome *c* reductase in *Saccharomyces cerevisiae* (FEBS 08307) *J. -P. di Rago, J. Perea, A. -M. Colson* 93

Regulation of photosynthetic light harvesting by nitrogen assimilation in the green alga *Selenastrum minutum* (FEBS 08308) *D.H. Turpin, D. Bruce* 99

Erbstatin blocks platelet activating factor-induced protein-tyrosine phosphorylation, polyphosphoinositide hydrolysis, protein kinase C activation, serotonin secretion and aggregation of rabbit platelets (FEBS 08318) *H. Salari, V. Duronio, S.L. Howard, M. Demos, K. Jones, A. Reany, A.T. Hudson, S.L. Pelech* 104

Interleukin 1β modulates hepatic synthesis of α1-acid glycoprotein in the fetal rat (FEBS 08301) *D. Durand, O. Bertaux, T. Fournier, D. Porquet, R. Valencia, G. Durand* 109

DNA methylation in *Trypanosoma cruzi* (FEBS 08303) *M.V. Rojas, N. Galanti* 113

Protein kinase C-regulated production of prostacyclin by rat endothelium is increased in the presence of lipoxin A4 (FEBS 08304) *D. Leszczynski, J. Ustinov* 117

Expression of voltage-gated K^+ channels in insulin-producing cells: Analysis by polymerase chain reaction (FEBS 08305) *C. Betsholtz, A. Baumann, S. Kenna, F.M. Ashcroft, S.J.H. Ashcroft, P.-O. Berggren, A. Grupe, O. Pongs, P. Rorsman, J. Sandblom, M. Welsh* 121

Assignment of imidazole resonances from two-dimensional proton NMR spectra of bovine Cu,Zn superoxide dismutase: Evidence for similar active site conformation in the oxidized and reduced enzyme (FEBS 08317) *M. Paci, A. Desideri, M. Sette, M.R. Ciriolo, G. Rotilio* 127

Identification of genetically high risk individuals to lung cancer by DNA polymorphisms of the cytochrome P450IA1 gene (FEBS 08306) *K. Kawajiri, K. Nakachi, K. Imai, A. Yoshii, N. Shinoda, J. Watanabe* 131

The importance of Val-157 hydrophobic interaction for papain inhibitory activity of an epoxysuccinyl amino acid derivative: A structure–activity relationship based on the crystal structure of the papain–E-64-c complex (FEBS 08210) *D. Yamamoto, K. Matsumoto, H. Ohishi, T. Ishida, M. Inoue, K. Kitamura, K. Hanada* 134

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Effect of heparin on proliferation and signalling in BC3H-1 muscle cells: Evidence for specific binding sites (FEBS 08313) *S. Vannucchi, F. Pasquali, G. Fiorelli, P. Bianchini, M. Ruggiero* 137
Externally added DNA molecules support initiation of transcription in isolated nuclei from petunia (FEBS 08315) *D. Zenvirth, D. Ginzberg, M. Hershkovitz, A. Loyter* 142
Induction of normal ultrastructure by CGRP treatment in dysgenic myotubes (FEBS 08316) *L. Garcia, M. Pinçon-Raymond, G. Romey, J.-P. Changeux, M. Lazdunski, F. Rieger* 147
Autolysis of isolated adipocytes by endogenously produced fatty acids (FEBS 08319) *P. Strålfors* 153
A novel method for measuring membrane conductance changes by a voltage-sensitive optical probe (FEBS 08137) *Y. Rosemberg, R. Korenstein* 155
The interaction of actin with dystrophin (FEBS 08320) *B.A. Levine, A.J.G. Moir, V.B. Patchell, S.V. Perry* 159
Regional expression of a MCD-peptide and dendrotoxin I-sensitive voltage-dependent potassium channel in rat brain (FEBS 08322) *J.-M. Séquier, J. Brennand, J. Barhanin, M. Lazdunski* 163
The interaction of amiloride with acetylcholinesterase and butyrylcholinesterase (FEBS 08323) *L. Zemach, D. Segal, Y. Shalitin* 166
Substrate-dependent inhibition of protein kinase C by specific inhibitors (FEBS 08324) *M. Junco, M.J.M. Díaz-Guerra, L. Boscá* 169
Benzo(a)pyrene induces nuclear-DNA adducts in plant cell suspension culture: Detection by [^{32}P] postlabelling (FEBS 08325) *B. Rether, A. Pfohl-Leszkowicz, P. Guillemaut, G. Keith* 172
Inactivation of Ca^{2+}-, Na^+K^+-, and H^+K^+-ATPases with a carbodiimide derivative of ATP (FEBS 08326) *A.J. Murphy* 175

Book Reviews 178

Erratum 187

Notes to Authors 188

Discussion Letter

Origin of human neuroblastoma cell lines TGW and TNB1 (FEBS 08336) *Y. Tsuchida, M. Sekiguchi, Y. Kaneko, N. Kanda* 191

Research Letters

The antioxidant action of tamoxifen and its metabolites: Inhibition of lipid peroxidation (FEBS 08321) *H. Wiseman, M.J. Laughton, H.R.V. Arnstein, M. Cannon, B. Halliwell* 192
Interaction of small G proteins with photoexcited rhodopsin (FEBS 08314) *T. Wieland, I. Ulibarri, K. Aktories, P. Gierschik, K.H. Jakobs* 195
Irreversible transitions in a model substrate cycle: An experimental illustration (FEBS 08327) *A. Cimino, J.-F. Hervagault* 199
Cytoplasmic Ca^{2+} oscillations evoked by acetylcholine or intracellular infusion of inositol trisphosphate or Ca^{2+} can be inhibited by internal Ca^{2+} (FEBS 08329) *M. Wakui, O.H. Petersen* 206
β-Turns as structural motifs for the proteolytic processing of seed proteins (FEBS 08328) *R.I. Monsalve, L. Menéndez-Arias, C. López-Otín, R. Rodriguez* 209
Demonstration of two isoforms of subunit VIIa of cytochrome *c* oxidase from human skeletal muscle: Implications for mitochondrial myopathies (FEBS 08330) *J.J. Van Beeumen, A.B.P. Van Kuilenburg, S. Van Bun, C. Van den Bogert, J.M. Tager, A.O. Muijsers* 213
A rev/β-galactosidase fusion protein binds in vitro transcripts spanning the rev-responsive element of human immunodeficiency virus type 1 (HIV-1) (FEBS 08331) *C. Aepinus, R. Voll, M. Bröker, B. Fleckenstein* 217
Inhibition of poly(ADP-ribose) synthetase by unsaturated fatty acids, vitamins and vitamin-like substances (FEBS 08333) *M. Banasik, H. Komura, K. Ueda* 222
Interaction of histones H1 and H1° with superhelical and linear DNA (FEBS 08332) *J. Yaneva, J. Zlatanova, E. Paneva, L. Srebreva, R. Tsanev* 225
Specific binding of placental acidic isoferritin to cells of the T-cell line HD-MAR (FEBS 08334) *A.M. Konijn, E.G. Meyron-Holtz, R. Levy, H. Ben-Bassat, Y. Matzner* 229
Bryophyllum fedtschenkoi protein phosphatase type 2A can dephosphorylate phosphoenolpyruvate carboxylase (FEBS 08335) *P.J. Carter, H.G. Nimmo, C.A. Fewson, M.B. Wilkins* 233
Identification of the binding sites of benzyl penicilloyl, the allergenic metabolite of penicillin, on the serum albumin molecule (FEBS 08337) *M. Yvon, P. Anglade, J.-M. Wal* 237
Alteration of the enzymatic properties of smooth muscle myosin by a monoclonal antibody against subfragment 2 (FEBS 08340) *M. Higashihara, M. Ikebe* 241
The cytochrome *b* of the sea urchin *Paracentrotus lividus* is naturally resistant to myxothiazol and mucidin (FEBS 08339) *M.D. Esposti, A. Ghelli, G. Butler, M. Roberti, A. Mustich, P. Cantatore* 245
Inhibition of photosystem II in *Chlorogloeopsis fritschii* with shikonin acetate (FEBS 08342) *A.-K.J. Sallal, N.A. Nimer, G. Al-Oriquat* 248
The purification and amino acid sequence of the lethal neurotoxin Tx1 from the venom of the Brazilian 'armed' spider *Phoneutria nigriventer* (FEBS 08343) *C.R. Diniz, M. do Nascimento Cordeiro, L.R. Junor, P. Kelly, S. Fischer, F. Reimann, E.B. Oliveira, M. Richardson* 251
Chromosomal reallocation of the chicken *c-myb* locus and organization of 3'-proximal coding exons (FEBS 08345) *J. Soret, M. Vellard, E. Viegas-Pequignot, F. Apiou, B. Dutrillaux, B. Perbal* 254
Specific receptors for endothelin-3 in cultured bovine endothelial cells and its cellular mechanism of action (FEBS 08344) *T. Emori, Y. Hirata, F. Marumo* 261
Sequence homology between purple acid phosphatases and phosphoprotein phosphatases: Are phosphoprotein phosphatases metalloproteins containing oxide-bridged dinuclear metal centers? (FEBS 08346) *J.B. Vincent, B.A. Averill* 265
The quantum yield of bacteriorhodopsin (FEBS 08347) *J. Tittor, D. Oesterhelt* 269
Polypeptide composition of higher plant photosystem I complex: Identification of *psa*I, *psa*J and *psa*K gene products (FEBS 08348) *M. Ikeuchi, A. Hirano, T. Hiyama, Y. Inoue* 274
The importance of the C-terminal amide structure of rat pancreastatin to inhibit pancreatic exocrine secretion (FEBS 08349) *K. Miyasaka, A. Funakoshi, K. Kitani, H. Tamamura, N. Fujii, S. Funakoshi* 279
Osmium tetroxide, *N,N,N',N'*-tetramethylethylendiamine: A new probe of DNA structure in the cell (FEBS 08357) *P. Boubliková, E. Paleček* 281
Secretion and intracellular degradation of collagen in cultures of normal and SV-40-transformed human fibroblasts (FEBS 08302) *A.E. Berman, G.E. Morozevich* 285
Biosynthesis of acridone alkaloids: Formation of rutacridone by cell-free extracts of *Ruta graveolens* cell suspension cultures (FEBS 08338) *W. Maier, B. Schumann, D. Gröger* 289
Intra- and extraluminal sarcoplasmic reticulum membrane regulatory sites for Ca^{2+}-induced Ca^{2+} release (FEBS 08351) *T.E. Nelson, K.E. Nelson* 292
Immunological characterization of the mitochondrial 2-oxoglutarate carrier from liver and heart: Organ specificity (FEBS 08341) *V. Zara, R.D. Benedittis, C.I. Ragan, F. Palmieri* 295

Molecular cloning of a cDNA encoding aldosterone synthase cytochrome P-450 in rat adrenal cortex (FEBS 08352) *M. Imai, H. Shimada, Y. Okada, Y. Matsushima-Hibiya, T. Ogishima, Y. Ishimura* 299

Cobalamin inactivation induces formyltetrahydrofolate synthetase (FEBS 08353) *R. Deacon, J. Perry, M. Lumb, I. Chanarin* 303

A novel NADPH/NADH-dependent aldehyde reduction enzyme isolated from the tapeworm *Moniezia expansa* (FEBS 08354) *P.M. Brophy, P. Crowley, J. Barrett* 305

Oriented incorporation of bacteriorhodopsin into the lipid shell of phospholipid-coated polymer particles (FEBS 08356) *U. Rothe, H. Aurich, H. Engelhardt, D. Oesterhelt* 308

Application of $^{13}C(\omega_1)$-half-filtered [^1H,^1H]-NOESY for studies of a complex formed between DNA and a ^{13}C-labeled minor-groove-binding drug (FEBS 08355) *W. Leupin, G. Otting, H. Amacker, K. Wüthrich* 313

High affinity ryanodine binding sites in rat liver endoplasmic reticulum (FEBS 08359) *V. Shoshan-Barmatz* 317

Interleukin-1β induces synthesis and secretion of interleukin-6 in human chondrocytes (FEBS 08360) *S. Bender, H.-D. Haubeck, E.V. de Leur, G. Dufhues, X. Schiel, J. Lauwerijns, H. Greiling, P.C. Heinrich* 321

Structural studies on three flavin-interacting regions of the flavoprotein subunit of complex II in *Ascaris suum* mitochondria (FEBS 08361) *R. Furushima, K. Kita, S. Takamiya, K. Konishi, T. Aoki, H. Oya* 325

Formation of a cytosolic ganglioside-protein complex following administration of photoreactive ganglioside GM1 to human fibroblasts in culture (FEBS 08362) *V. Chigorno, M. Valsecchi, D. Acquotti, S. Sonnino, G. Tettamanti* 329

Rats with physically disconnected hypothalamo-pituitary tracts no longer contain vasopressin-oxytocin gene transcripts in the posterior pituitary lobe (FEBS 08363) *E. Mohr, A. Zhou, N.A. Thorn, D. Richter* 332

A high ratio of chromogranin A to synaptin/synaptophysin is a common feature of brains in Alzheimer and Pick disease (FEBS 08364) *R. Weiler, H. Lassmann, P. Fischer, K. Jellinger, H. Winkler* 337

Central helix role in the contraction-relaxation switching mechanisms of permeabilized skeletal and smooth muscles with genetic manipulation of calmodulin (FEBS 08365) *J. Gulati, A. Persechini, Á. Babu* 340

Secretion of apolipoprotein B in serum-free cultures of human hepatoma cell line, HepG2 (FEBS 08366) *K. Adeli, C. Sinkevitch* 345

Mechanisms of differential regulation of interleukin-6 mRNA accumulation by tumor necrosis factor alpha and lymphotoxin during monocytic differentiation (FEBS 08367) *M.A. Brach, N.A. Cicco, D. Riedel, T. Hirano, T. Kishimoto, R.H. Mertelsmann, F. Herrmann* 349

Inactivation of human plasma α_1-proteinase inhibitor by human PMN leucocyte collagenase (FEBS 08369) *V. Knäuper, H. Reinke, H. Tschesche* 355

Eclosion hormone of the silkworm *Bombyx mori*: Expression in *Escherichia coli* and location of disulfide bonds (FEBS 08373) *T. Kono, H. Nagasawa, H. Kataoka, A. Isogai, H. Fugo, A. Suzuki* 358

Conformational changes of aminoacyl-tRNA and uncharged tRNA upon complex formation with polypeptide chain elongation factor Tu (FEBS 08370) *M. Haruki, R. Matsumoto, M. Hara-Yokoyama, T. Miyazawa, S. Yokoyama* 361

Tris reversibly inhibits secretion of albumin and α-1-antitrypsin at different sites (FEBS 08372) *P. Quinn, J.D. Judah* 365

Characterization of four G_o-type proteins purified from bovine brain membranes (FEBS 08374) *A. Inanobe, H. Shibasaki, K. Takahashi, I. Kobayashi, U. Tomita, M. Ui, T. Katada* 369

The NH_2-terminal residues of rat liver proteasome (multicatalytic proteinase complex) subunits, C2, C3 and C8, are *N*α-acetylated (FEBS 08375) *F. Tokunaga, R. Aruga, S. Iwanaga, K. Tanaka, A. Ichihara, T. Takao, Y. Shimonishi* 373

Botulinum ADP-ribosyltransferase activity as affected by detergents and phospholipids (FEBS 08376) *T. Maehama, Y. Ohoka, T. Ohtsuka, K. Takahashi, K-i. Nagata, Y. Nozawa, K. Ueno, M. Ui, T. Katada* 376

Diverse actions of cadmium on the smooth muscle myosin phosphorylation system (FEBS 08378) *A. Kostrzewska, A. Sobieszek* 381

Characterization of rat brain NCAM mRNA using DNA oligonucleotide probes (FEBS 08379) *A.-M. Andersson, H. Gaardsvoll, E. Giladi, B. Dahl, E. Bock* 385

Identification of a highly reactive sulphydryl group in human placental glutathione transferase by a site-directed fluorescent reagent (FEBS 08377) *M. Lo Bello, R. Petruzzelli, E. De Stefano, C. Tenedini, D. Barra, G. Federici* 389

Author Index 392

Contents 398

Notes to Authors 401